





**Q-LINE**



**SOLARIUM**



**IRRIGATION**



**TREADMILL**



**SAFETY WALL**




**WALKER**


## **Lunging fencing Sublime for roofs**

**Outer ring including gate**

Lunging fence for a 20-meter roof / Article no. 17-4-30-11020




**SOLARIUM**

**IRRIGATION**

**TREADMILL**

**SAFETY WALL**

**WALKER**

### Discover the Durable Steel Fencing for Lunging Covers

Are you in search of a high-quality steel fence for your lunging covers? Explore our robust steel fencing, crafted with the finest steel C-profiles, ensuring durability and quality. Each bay is equipped with two fencing sections, offering a choice of various fillings such as plastic planks, impregnated wood, or hardwood. Experience the versatility and quality of our fencing options for a stylish and functional addition to your coverings.

- ✓ Safe
- ✓ Sustainable
- ✓ Strong
- ✓ Smooth finish

### High-Quality Steel Fencing for Lunging Covers:

Our durable steel fencing is specially designed for lunging covers, providing a solid solution for protection and style. Made with high-quality steel C-profiles, this fencing guarantees durability and a long lifespan. Whether you choose plastic planks, impregnated wood, or hardwood as fillings, you can rely on a fence that meets all your preferences.

### Thermally Galvanized Steel Parts:

We understand the importance of durability, and therefore, all our steel parts are thermally galvanized. This ensures not only a longer lifespan for the fence but also increased resistance to rust and other weather influences. Opt for a steel fence that stands the test of time.

### Versatile Options for Fencing Fillings:

Our steel fences offer various options for fencing fillings. Whether you prefer plastic planks for a modern look, impregnated wood for a natural appearance, or hardwood for a touch of luxury, we have options that cater to your taste and needs. Create a fence that perfectly complements the style of your lunging covers.

### Complete Delivery with Fastening Materials:

We prioritize user-friendliness, and that's why our steel fence is delivered complete with all necessary fastening materials. Whether you are an experienced DIY enthusiast or a beginner, the installation is effortless and quick. We ensure you have everything you need for a seamless assembly.

### Conclusion: Durability, Quality, and Style:

In summary, our steel fence for lunging covers offers an ideal combination of durability, quality, and style. With thermally galvanized steel parts, versatile options for fencing fillings, and complete delivery with fastening materials, you are investing in a fence that is not only functional but also adds aesthetic value to your horse enclosure. Choose durability, quality, and style with our premium steel fence for lunging covers.





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL




WALKER

## Features

### Outer Fencing:

The robust and durable fence for the roofs, with a height of 1.6 meters for optimal safety. The posts between the rafters, securely connected to purlins, are cast in concrete for additional stability. The steel C-profile below, above, and doubled in the middle is suitable for boards up to 32 mm thick, resulting in an extremely solid enclosure. The outer fence also includes a gate of 2x2 meters, with a C-profile below and above suitable for boards up to 32 mm thick. The upper part of the gate is standardly equipped with bars, providing a perfect combination of safety and aesthetics.

Discover the durability and safety of our indoor and outdoor enclosures for a stylish addition to your canopy.



SOLARIUM



IRRIGATION



TREADMILL




SAFETY WALL



WALKER

## Standard options



Plastic Planks




Impregnated Planks



Hardwood Planks



Fast setting concrete

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

<b>Basic material</b>	Steel galvanized
<b>Fixings</b>	included
<b>Thickness</b>	50 mm
<b>Suited for</b>	Dome roofs
<b>Height</b>	1,6 meter
<b>Length</b>	2x ca 2 meter
<b>Not included</b>	Panel filling, Concrete
<b>Optional</b>	Powder coating
<b>Other</b>	Consists of 30 compartments

## Contact details

### **Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)