


SOLARIUM





TREADMILL



WALKER

SAFETY WALL

Steel cables and accessories start piece 100 cm

Steel cable complete 5mm / Article no. 23-3-05-00010





5 mm steel cable equipped with ferrules and aluminum press sleeves, including a piece of chain at both ends of the cable.

To order the correct length, select this starter piece and then the remaining length of the steel cable with item no. $\underline{06-1-00-00025}$ in centimeters.

How to calculate the ordered length:

The desired length L - 100cm is the length you order rounded to whole centimeters.

Example:

You need a cable of 672 centimeters.

L = 672 - 1 = 572 centimeters, rounded up, this is 572 centimeters.


You then order:

Item 23-3-05-00010 1x and item $\underline{06\text{-}1\text{-}00\text{-}00025}$ 572 x of the respective cable.

We make it to ine cable for you

To tension the cable, you can also order 1 or 2 tensioners. For this cable, the 10mm Turnbuckler fits perfectly, with item no. $\underline{06-1-00-00022}$


The tensioner has an unscrewed hook length of 28 cm, this length needs to be subtracted from the total desired length.







Features







000 000 000







SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Standard options



Steel cable 5mm






SOLARIUM



IRRIGATION





TREADMILL

SAFETY WALL

WALKER

Specifications

Length

1 meter including chain

Contact details

Q-Line Equestrian B.V. Haarbrinksweg 47 7678 RS Geesteren Tel. +31(0)546212361 info@Q-Line.com www.q-line.com