



Q-LINE



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Steel cables and accessories

start piece 100 cm

Steel cable complete 5mm / Article no. 23-3-05-00010





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

5 mm steel cable equipped with ferrules and aluminum press sleeves, including a piece of chain at both ends of the cable.

To order the correct length, select this starter piece and then the remaining length of the steel cable with item no. [06-1-00-00025](#) in centimeters.

- ✓ Corrosion resistance
- ✓ Strong
- ✓ Sustainable

How to calculate the ordered length:

The desired length L - 100cm is the length you order rounded to whole centimeters.

Example:

You need a cable of 672 centimeters.

$L = 672 - 1 = 572$ centimeters, rounded up, this is 572 centimeters.

You then order:

Item 23-3-05-00010 1x and item [06-1-00-00025](#) 572 x of the respective cable.

We make it to ine cable for you

To tension the cable, you can also order 1 or 2 tensioners. For this cable, the 10mm Turnbuckler fits perfectly, with item no. [06-1-00-00022](#).


The tensioner has an unscrewed hook length of 28 cm, this length needs to be subtracted from the total desired length.



Features




Q-LINE



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Configuration & options



Steel cable 5mm



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Specifications

Length 1 meter including chain

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com