



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL




WALKER

## Ramp

### Ramp with rubber mat

Ramp / Article no. 33-4-00-23025




**SOLARIUM**

**IRRIGATION**

**TREADMILL**

**SAFETY WALL**

**WALKER**

Step board for the VME: Easy to install on the VME, and if desired, the step board can be seamlessly connected to a bracket system. Made of robust steel with a rubber tread for optimal grip and safety.


Image not found Easy to install

The fully galvanized steel frame ensures a long lifespan. The water-resistant board on which the rubber tread is attached provides exceptionally sturdy and comfortable access.

Image not found Super safe

Discover our high-quality step board for the VME now, a reliable and durable solution for safe use.

Image not found Sturdy



## Features

### Easy Installation:

This ramp is effortlessly installable on the VME, allowing you to quickly take advantage of the benefits.

### Optional Bracket Connection:

Benefit from extra stability by easily connecting the step to an available bracket system.

### Robust Steel Construction:

The step is made of durable steel, ensuring long-lasting and reliable operation.

### Optimal Safety with Rubber Tread:

The rubber tread not only provides optimal grip but also enhances safety during use.

### Long Lifespan with Galvanized Steel Frame:


The fully galvanized steel frame not only ensures a long lifespan but also protects against corrosion.

### Comfortable Access with Water-Resistant Board:

The water-resistant board, on which the rubber tread is securely attached, ensures sturdy and comfortable access.

### Reliable Investment:

Choose our step as a reliable and durable solution, an investment in safety and ease of use for your VME system.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

<b>Suited for</b>	VME
<b>Basic material</b>	Steel galvanized
<b>Fixings</b>	Included
<b>Width</b>	890 mm
<b>Length</b>	750 mm
<b>Thickness</b>	170 mm
<b>Weight</b>	50 kg
<b>Transport size</b>	120 x 80 x 30 cm
<b>Transport weight</b>	70 kg
<b>Included</b>	per ramp

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)