



**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Ramp

Ramp with rubber mat

Ramp / Article no. 33-4-00-23025



Step board for the VME: Easy to install on the VME, and if desired, the step board can be seamlessly connected to a bracket system. Made of robust steel with a rubber tread for optimal grip and safety.

The fully galvanized steel frame ensures a long lifespan. The water-resistant board on which the rubber tread is attached provides exceptionally sturdy and comfortable access.

Discover our high-quality step board for the VME now, a reliable and durable solution for safe use.


- ✓ Easy to install
- ✓ Super safe
- ✓ Sturdy


SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER


Features

Easy Installation:

This ramp is effortlessly installable on the VME, allowing you to quickly take advantage of the benefits.

Optional Bracket Connection:

Benefit from extra stability by easily connecting the step to an available bracket system.

Robust Steel Construction:

The step is made of durable steel, ensuring long-lasting and reliable operation.

Optimal Safety with Rubber Tread:

The rubber tread not only provides optimal grip but also enhances safety during use.

Long Lifespan with Galvanized Steel Frame:

The fully galvanized steel frame not only ensures a long lifespan but also protects against corrosion.

Comfortable Access with Water-Resistant Board:

The water-resistant board, on which the rubber tread is securely attached, ensures sturdy and comfortable access.

Reliable Investment:

Choose our step as a reliable and durable solution, an investment in safety and ease of use for your VME system.



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Specifications

Suited for	VME
Basic material	Steel galvanized
Fixings	Included
Width	890 mm
Length	750 mm
Thickness	170 mm
Weight	50 kg
Transport size	120 x 80 x 30 cm
Transport weight	70 kg
Included	per ramp

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com