



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL




WALKER

MaXuSS Solarium with UV lights

MaXuSS Solarium UV 400 / Article no. 20-5-10-20400




SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

The solarium is shaped with only round edges so that your horse will not easily damage itself. The lamps are placed higher than the reflecting surface of the solarium so the chance of your horse touching the warm lamps is reduced to a minimum. By using a heat resistance plastic and placing the lamps in plastic lamp holders we can achieve a very high output.

The front and rear parts can move separately from each other so that you can always make the correct setting. The solarium is finished with rounded edges, which eliminates the risk of injury to your horse. The lamps are placed higher than the bottom surfaces. This minimizes the chance of contact with the warm IR lamps.

The 2 UV lamps are an excellent substitute for the sun. The radiators have a regulative effect on the vegetative nervous system and an increase in the elasticity and responsiveness of the Redox system. For the organism this means preservation and under certain circumstances even an increase in performance.

- ✓ Healthy for horse
- ✓ Good blood flow
- ✓ Fewer injuries
- ✓ Rapid lactic acid removal
- ✓ Fast drying
- ✓ Higher muscle elasticity



Features

Discover the exceptional features of Q-line® solariums designed to ensure optimal safety, efficiency, and style for your equine companion.

1. Enhanced Safety Design:

Q-line® solariums are crafted with rounded edges and corners, eliminating the risk of injuries to your horse. Unlike many competitors' models made of sharp-edged steel, our solariums prioritize your horse's safety, reducing the potential for accidents and injuries.

2. Strategic Lamp Placement:

Our solariums feature lamps positioned higher than the surfaces, preventing them from falling out of their fittings. This innovative design minimizes the risk of contact with the warm IR lamps, ensuring your horse's safety during sessions.

3. Lightweight and Injury-Resistant:

Q-line® solariums are lightweight, significantly reducing the chances of injuries caused by accidental contact. Their user-friendly design ensures both safety and ease of use.

4. Energy Efficiency and Environmental Friendliness:

Our solariums consume up to 40% less energy than competitors, making them environmentally friendly choices. Crafted from heat-resistant plastic, they are corrosion-resistant, leading to minimal heat loss and high energy efficiency.



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

5. Durable Infrared Lamps:

Q-line® solariums are equipped with specially designed infrared lamps capable of enduring prolonged intense heat, burning for up to 5000 hours. This ensures longevity and consistent performance.

6. Stylish and Easy Installation:

With a sleek appearance and meticulous finishing, our solariums add a touch of elegance to your stable. All models come plug-and-play ready, allowing effortless installation for your convenience.

7. Intelligent Ventilation System:

Automatic fans activate when the internal temperature reaches 30°C, preventing cold air from blowing directly onto your horse. Located at the bottom, the fan prevents dust from entering the solarium. Cold air is drawn across the lamps before being gently distributed over your horse.

8. Low Maintenance and Water Resistance:

Thanks to advanced technology and durable materials, Q-line® solariums require minimal maintenance. Their waterproof design from the top makes them ideal for use in wash or grooming areas.

9. Certified Safety Standards:

Compliance with machine directive 2006/42EG and the CE mark is standard across all Q-line® solariums. Additionally, our solariums are factory-inspected according to NEN 3140 and ARBO guidelines, meeting stringent European safety standards.

Elevate your horse care routine with Q-line® solariums – where safety, efficiency, and style converge seamlessly. Experience the difference today.



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Standard options



Control ET-IR UV AB 400



Pay with app 400



Coin device 400 € 1



Angled support zinc



Electric Lift 170

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Length	240 cm
Width	130 cm
Height	44 cm
Weight	71,5 kg
Basic material	Reinforced heat resisting plastic
Colour	Black / Silver Grey
Number of IR lamps	9 x 150 Watt , 13 x 250 Watt
Power supply	3xL+N+PE 400 Volt
Power usage	5470 Watt
Fuse with	C 16 A
Air blower	9x 90m3, automatic at 30grC
Suspension	4x chains (1 meter) and swing hooks
Supplied as standard	Power cable 10 mtr including plugs
Quality mark	CE / NEN 3140 / OSH
IP rating	IP54
Transport size	150x85x170 cm
Transport weight	95 Kg
Number of UV lamps	2 x 300W

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com