

TREADMILL





Maxuss Twin 400

Double solarium with LED

Maxuss Twin 400 LED / Article no. 20-5-25-10400



The solarium, with a beautifully finished body, follows the lines of the horse and consists of 6 main parts for extra warmth. Each muscle group is properly lit by the IR lamps. Due to the heat-resistant plastic, the lamps in plastic holders and by reusing residual heat, a very high efficiency can be achieved. The solarium is finished with rounded edges, which eliminates the risk of injury to your horse. The lamps are placed higher than the bottom surfaces. This minimizes the chance of contact with the warm IR lamps.

- Stylish Shaped
- Lightweight Design
- High Heat Output
- Heat Resistant plastic
- Spray water proof















IRRIGATION

TREADMILL

. SAFETY WALL







Features

Safety:

The Q-line® solaria have been finished with round sides and corners which excludes the chance your horse will get injured. The lamps are placed higher than the holders so that the horse can never come in to direct contact with the lamps.

Durability:

The Q-line® solaria use up to 40% less energy than competitive products and are remarkably environmentally friendly. The heat resistant plastic is insensitive to corrosion and ensure minimal heat loss and a high efficiency.

The infrared lights in the Q-line® ® solaria are designed to be especially heat resistant and can endure great temperatures for extensive periods of time. These lamps can burn up to 5000 hours.

External characteristics:

The Q-line® ® solaria have a stylish appearance and smooth finishing. All solaria can be used directly and require no further assembly.

The fans automatically switch on at an internal temperature of 30 degrees C so that no cold air is blown over your horse. 12 built-in spots distributed over the entire bottom surface provide sufficient light during washing and cleaning.

Maintenance:

The Q-line® ® solaria require little to no maintenance. With our technologically advanced design and the choice of materials we have ensured that corrosion is kept to a minimum.


Quality mark:

All Q-line® solaria conform to the machine code 2006/42/EG and are fit with the CE norm. The Q-line® ® solaria are certified according to the NEN 3140 and Labor and health directive en hereby conform to all European safety demands









TREADMILL





Standard options



Control CB IR AB L 400



Control MT IR AB L 400



Control ET-IR AB, L 400



Electric Lift 170 Extreme Duty



12 RGB LED






SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



Specifications

Length240 cmWidth249 cmDrive system97 cmDrive system140 Kg

Basic material Reinforced heat resisting plastic

Colour Black / Silver Grey

Number of IR lamps 12x IR 100W, 24x IR 150W, 12x IR 250W

Power supply 3xL+N+PE 400 Volt

Power usage8220 WattFuse withC 16 A

Air blower12 x 90m3, automatic at 30grCSuspension4x chians (1 meter) and swing hooksSuplied as standardSwitch, Power cable 10 mtr including plugs

Quality mark CE / NEN 3140 / OSH

IP rating 54

Transport weight 2x 80 kg

Transport size 2x 150 x 85x 170 cm

Number of LED lamps 12x 5w 4000K

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com