



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Solarium switch basic 230

### Switch for solarium

Control basic 230 / Article no. 21-5-80-02115




**SOLARIUM**

**IRRIGATION**

**TREADMILL**

**SAFETY WALL**

**WALKER**

Box equipped with main switch. Suitable for any type of solarium, easy to operate and easy to connect.

Image not found **Simple operation**

Image not found **Including cables**

Image not found **Safe to use**



## Features

### Safety:

The control box is splash-proof and equipped with a lockable main switch.

### Appearance:

The control box has a power cord with plug and a cable of approx. 10 m including plug for the solarium.

### Maintenance:

Due to the technologically advanced design and the materials used, there is virtually no wear or corrosion, which means that hardly any maintenance is required.

### Quality mark:

All control boxes comply with the machine directive 2006 / 42EG and are provided with the CE mark as standard. The boxes are also tested ex works according to the NEN 3140 and ARBO directive and therefore meet all European safety requirements.

### Service:

The solarium can be switched on and off with the switch

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

<b>Length</b>	13 cm
<b>Width</b>	10 cm
<b>Drive system</b>	6 cm
<b>Colour</b>	Grey
<b>Basic material</b>	Plastic
<b>Fixings</b>	Included
<b>Cable length</b>	10 meter including plug
<b>Other</b>	2 meter power cord including plug
<b>Power supply</b>	L+N+PE 230 Volt
<b>Switching capacity</b>	3,5 Kw / 1x230 V
<b>Fuse with</b>	16 A
<b>IP rating</b>	54
<b>Quality mark</b>	CE / NEN 3140 / OSH
<b>Transport weight</b>	6 Kg
<b>Transport size</b>	35x27x14 cm

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)