



WALKER

Solarium bracket Telescope support bracket zinc

Telescope support zinc / Article no. 21-3-00-00075



PIONEERS IN EQUESTRIAN INNOVATION











SOLARIUM

C

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Features

Safety:

The bracket is designed for a total weight of 60 kg.

Appearance:

The bracket consists of 4 tubes that are easy to assemble. All mounting materials are also included for mounting on the wall.

Maintenance:

The tubes are galvanized as standard acc. To. NEN-EN-ISO 1461-99


Quality mark:

All parts comply with the machine directive 2006 / 42EG and are provided with the CE mark as standard and therefore meet all European safety requirements.











SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Specifications

Length	4 mtr max
Width	1,5 mtr
Thickness	6 cm
Drive system	60 Kg max
Basic material	galvanized as standard acc. To. NEN-EN-ISO 1461-99
Suplied as standard	Comes as a set of 2
Colour	Zinc
Quality mark	CE / OSH
Fixings	Included
Suspension	Between 2 walls
Transport weight	65 kg
Transport size	300x20x10 cm

Contact details

Q-Line Equestrian B.V. Haarbrinksweg 47 7678 RS Geesteren Tel. +31(0)546212361 info@Q-Line.com www.q-line.com

PIONEERS IN EQUESTRIAN INNOVATION