



**Q-LINE**



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Electric lift

up to 145 kg

Electric Lift 170 Extreme Duty / Article no. 21-5-70-00025




**SOLARIUM**

**IRRIGATION**

**TREADMILL**

**SAFETY WALL**

**WALKER**

Electric hoisting installation for hoisting the solarium, ideal when there are different wither heights at the stable. The lift can also be used to raise the solarium to a certain height so that the horse can easily walk underneath.

Comes with: clear operating instructions, mounting material for the ceiling, surface-mounted control switch with power cord, 10 meter cable with connector and mounting set for the solarium.

Image not found **Simple** type unknown

Image not found **Safe** type unknown

Image not found **Sleek shape** type unknown



## Features

### Safety:

The Q-line® lifts are equipped with an automatic brake, as soon as the power is lost, the lift will brake immediately.

### Durability:

The Q-line® lifts are made of aluminum, which makes them insensitive to corrosion and have a very long service life.

### Appearance:

The lifts have a completely sealed housing, which prevents contact with rotating parts.

### Maintenance:

The lifts require very little maintenance. Due to the technologically advanced design and the materials used, there is virtually no wear or corrosion, which means that hardly any maintenance is required.

### Quality mark:

All lifts comply with the machine directive 2006 / 42EG and are provided with the CE mark as standard. The Q-line® electrical lifts are also factory tested according to the NEN 3140 and OSH directive and therefore meet all European safety requirements.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

<b>Length</b>	170 cm
<b>Width</b>	30 cm
<b>Height</b>	10 cm
<b>Weight</b>	Max 145 Kg hoist
<b>Colour</b>	Grey / Silver
<b>Basic material</b>	Stainless steel
<b>Suspension</b>	Included
<b>Cable length</b>	10 meter
<b>Power supply</b>	L+N+PE 230 Volt
<b>Power usage</b>	400
<b>IP rating</b>	40
<b>Quality mark</b>	CE / NEN 3140 / OSH
<b>Transport size</b>	171x30x13
<b>Transport weight</b>	22 Kg
<b>Included</b>	Bediening

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)