


SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Potentiometer

Speed control

Potentiometer R4K7 / Article no. 08-1-00-00123



Potentiometer to set the speed on a horse walker control box.
 The black potentiometer with protection class IP66 and a bore diameter of 22.5 mm has three separate screw connections (Pmax = 0.5 W).
 The accuracy of the resistance value is +/- 10 (linear).
 The potentiometer complies with all relevant international standards for worldwide use.

Image not found **Waterproof** unknown

Image not found **Screw connection**

Features

Suitable for the following cabinets:

21-5-80-21110, 21-5-80-21112, 21-5-80-21113, 21-5-80-21114, 21-5-80-21115, 21-5-80-21116, 21-5-80-21117, 21-5-80-21118


21-5-80-21140, 21-5-80-21141, 21-5-80-21142, 21-5-80-21143, 21-5-80-21144, 21-5-80-21145, 21-5-80-21146, 21-5-



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

80-21147

23-4-70-11075, 23-4-70-11150, 23-4-70-11220, 23-4-70-21075, 23-4-70-21150, 23-4-70-21220, 23-4-70-11175

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Connection	screw clamp
Power supply	0-10V
Housing	Plastic
IP rating	66
Quality mark	CE, UKCA, UL, CSA
Colour	Black
Other	470 Ohm

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com