


SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Basic Horse walker fencing


### 1 layer planks

Plank 18,6 mtr / Article no. 12-5-65-00118




1 Layer of extra pressure treated planks for the inner and outer ring, including mounting material.  
The layer of planks is suitable for the 18,6 mtr basic fence.

- ✓ Round edges
- ✓ Milled
- ✓ Pressure treated





**Q-LINE**



**SOLARIUM**



**IRRIGATION**



**TREADMILL**




**SAFETY WALL**



**WALKER**

## Features


The layer of planks can be used as a kickboard to keep the sand in the walk way together.



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Specifications

Amount of layers	1 layer inside and outside
Diameter	18,6 meter
Width	14 cm
Fixings	Included
Colour	Pressure treated ( green)
Quality mark	KOMO
Transport weight	480 Kg
Basic material	Spruce

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)