



Q-LINE



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL




WALKER

Sublime pressure treated walker fencing

Fencing inner- and outer ring

Fencing 12 meter walker / Article no. 12-5-61-00012





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Q-line® Fencing for Sublime Walker: Maximum Safety and Durability

Design the Ideal Training Space for Your Horses

Opt for the unparalleled quality of Q-line® fencing when equipping your Sublime Horse Exerciser. These fences, made from top-quality North European pine and spruce, ensure not only safety but also comfort during your horses' training. They are specifically designed for their long lifespan and excellent finish.

Customizable and Flexible Fencing for Your Horse Exerciser

Complete your training setup with our versatile fences. The standard configuration includes round milled posts, a top rail with rounded corners, and a similar side plank. For additional strength and safety, you can opt for additional planks or multiple layers of our durable band. Each set comes with the necessary mounting materials and a functional wooden gate, complete with hanging and closing hardware.

Reasons to Choose Q-line® Fencing:

Safety: Specifically designed to keep your horses safe during training.

Customizability: Fully adaptable to your specific needs.

High-Quality Materials: Long lifespan thanks to durable North European pine and spruce.

Complete Delivery: Includes all necessary components for assembly and a wooden gate.

- ✓ Flexible construction
- ✓ Smooth finish
- ✓ Horse friendly


High-Quality Milled Pine Posts - Green Impregnated and Durable

Perfect Diameter Ø12cm for Effective Drainage and Easy Installation
Discover our superior milled pine posts, ideal for fencing your training mill. These posts, with a consistent diameter of 12cm, ensure a streamlined and perfectly round shape. The crowned end allows for effective drainage, while the pointed end simplifies installation. The **KOMO-certified** green impregnation significantly extends the lifespan.

Strong Spruce Planks and Rails with Rounded Corners for Horse Exerciser

Fencing Spruce Planks: Ideal for outdoor constructions, with a width of 145mm and a thickness of 28mm. The green impregnation offers both durability and aesthetics.

Spruce Rails: Perfect for fencing, with a width of 95mm and a thickness of 45mm. These rails provide robustness and are resistant to severe weather conditions.





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Features

Safety:

The Q-line® fences are designed to let your horses walk as safely as possible while training in the walker. All wooden parts are rounded and mounted in such a way that this results in the least risk of injury in the event of an emergency.

Durability:

By using wood preservation we can guarantee a very long life. The wood is impregnated under pressure, which ensures that it does not need any further finishing.

Appearance:

The wood can be preserved in various ways. This can be done in three ways, only preservation, preservation with a water-repellent treatment or preservation with a brown color. The posts are made sustainable in order to have a longer lifespan and better properties against attack by, for example, fungi.

Maintenance:


All fences are maintenance-free due to the sustainability of the materials.

Quality mark:

All wood has the required quality marks. The wood quality can be demonstrated with a KOMO product certificate.




Q-LINE



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER


Standard options



Plank 12 meter walker



Band 12 meter walker

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Basic material	Pine and Spruce pressure treated
Amount of layers	1 top rail, 1 kick board
Included	Round post 12cm L=2,50 meter
Diameter	12,82 meter
Suited for	Horse exerciser 12 meter
Width	Walkway 2,5 meter
Height	1,6 meter
Fixings	Included
Colour	Pressure treated (green)
Suplied as standard	Wood gate 2x1,5 meter + 2 square corner posts 15x15 cm 2,5mtr long
Quality mark	KOMO
Not included	Concrete for gate posts
Transport weight	1067 kg
Transport size	250 x 80 x 150 cm

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com