Q-LINE

SOLARIUM | IRRIGATION | TREADMILL | SAFETY WALL | WALKER

Sublime pressure treated walker fencing

1 layer for inner-and outer ring

Band 12 meter walker / Article no. 12-4-10-00012



1 layer of band for the inner and outer ring.
The layer of band is an extra layer for the base sublime fence.

- Flexible construction
- Smooth finish
- Horse friendly








Q-LINE.COM

Q-LINE


SOLARIUM


IRRIGATION


TREADMILL



SAFETY WALL


WALKER

Features

Q-Line PVC band for fencing is a very durable band that hardly stretches. The band has 2 layers of canvas and is therefore super strong and durable. The band is fixed to the post with 2 screws by means of the Q-Line clip.

Q-LINE


SOLARIUM


IRRIGATION


TREADMILL


SAFETY WALL


WALKER

Specifications

Basic material	PVC
Amount of layers	1 layer inner- and outer ring
Diameter	12,82 meter
Suited for	Horse walker 12 meter
Width	10cm
Fixings	Included
Colour	Black
Transport weight	25,35 kg
Transport size	50 x50x10 cm

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com