







**TREADMILL** 





Safety Wall door and gate

Frame, Hinge, Shutter

Gate 1 panel / Article no. 30-4-30-00930



The Q-line Safety Wall can be fitted with gates that are essentially invisible to the eye when closed. These innovative gates create a perfectly smooth and seamless finish for your Safety Wall without sharp edges. The gates can contain a maximum of 3 panels and are equipped with a specially developed hinge so that the gate in the sloping wall opens horizontally.

- Light to open
- Seamless finish
- Easy assembly
















**TREADMILL** 





# **Features**

## Safety:

By opening the gate horizontally, entrapment by a falling gate is excluded.

#### **Durability**

Due to the robustness of the hinges and the frames, the gates are indestructible.

#### Appearance:

Invisible hinge concealed in the wall.

#### Maintenance:

The gate hinge does not require lubrication and is maintenance-free.


### Easy to assemble:

Because the gate opens horizontally, mounting is very simple and the hinge can easily be mounted against a flat wall.










TREADMILL






# **Configuration & options**















**SOLARIUM** 

IRRIGATION

TREADMILL SAFETY WALL

**Specifications** 

Suited for

**Basic material** 

Width Height

Thickness

Weight

Included

Colour

Suspension

**Fixings** 

Suplied as standard

Transport weight Transport size 1 panel

Galvanized steel

95 cm

141 cm

3 cm 55 kg

Horizontal hinge

Zinc

Supplied mounting plate

Including

Shutter

65 kg

100x 80 x 141 cm

## **Contact details**

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com