



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL




WALKER

Safety Wall door and gate

1 panel wide

Cover Panel for Safety Wall Gate / Article no. 30-1-00-30156




SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER


This cover panel is mounted on the Safety Wall gate and ensures that the entire gate is fully covered. This allows the gate to visually and functionally integrate perfectly with the rest of the Safety Wall, creating a uniform and closed wall.

The panel has the same width as one standard Safety Wall panel, allowing it to fit seamlessly into the system. Thanks to the slotted holes, the panel can be easily and precisely mounted on the gate and adjusted if necessary for perfect alignment.

The cover panel is made from a strong aluminium sandwich panel. This material is lightweight, rigid and highly suitable for intensive use in a stable environment.

A practical solution to neatly integrate the Safety Wall gate into the arena wall.

- ✓ Light to open
- ✓ Seamless finish
- ✓ Easy assembly



Features

- Cover panel for mounting on the Safety Wall gate
- Creates a fully closed and uniform wall
- Same width as one Safety Wall panel
- Slotted holes for easy installation and adjustment
- Made from a strong aluminium sandwich panel
- Lightweight, clean appearance and low maintenance

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Suited for	Gates
Basic material	Aluminium sandwich
Width	95 cm
Height	142 cm
Thickness	4 mm
Weight	7 kg
Colour	Black
Fixings	Including
Transport weight	7 kg
Transport size	142 x 95 x 0,4 cm

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com