



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Track cover Passage

### For 16 meter exerciser

Passage 16 meters 750N / Article no. 17-5-10-00016




**SOLARIUM**

**IRRIGATION**

**TREADMILL**

**SAFETY WALL**

**WALKER**

### Q-line Track cover roof: Optimal Protection for Your Horses

Our canopies are designed to protect your horses year-round from various weather conditions such as sun, rain, and snow, while optimizing their daily training in the [horse walker](#).

### Why Choose Q-line Canopies?

#### High-Quality Construction:

Our canopies are made of top-quality galvanized beam steel and meticulously designed according to current building standards. This thorough approach ensures a sturdy and secure structure, essential for protecting your horses.

#### Durable Roofing:

We use steel profile sheets with a 32mm corrugated profile for roofing. These custom-made sheets, made of robust steel and coated with a durable coating, offer a long lifespan and are available in various colors. With a 30-year warranty on Arcelor's coating, you can rely on the quality and durability of our roofing. Innovative

#### Anti-Condensation Felt:

Our roof sheets are equipped with advanced anti-condensation felt as standard. This felt effectively absorbs moisture and prevents condensation, contributing to a healthier climate for your horses.

#### Strong Steel Profile Purlins:

The canopies are equipped with strong steel profile purlins, protected with a standard zinc coating. These purlins are not only robust but also resistant to the test of time, making them a sustainable choice for your canopy.

#### Calculations for Snow Load and Wind Zone:

Our canopies are designed to withstand a snow load of up to 2500N and are calculated for wind zone 3, underscoring our commitment to sustainability and safety.

### Choose Sustainability, Choose Q-line

At Q-line, we focus not only on protecting your horses but also on ensuring the long-term functionality of your stable. Our high-quality construction and thoughtful details make Q-line canopies the ideal choice for any stable owner. Contact us today to discover how we can transform your stable.

- ✓ Galvanized steel construction
- ✓ Calculated according to the norm NEN-EN 1990:2002
- ✓ Fully covered track
- ✓ Sufficient crossing
- ✓ Reinforced footplates





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Features

### **Safety:**

The Q-line® covers are designed to train your horses as safely as possible and to protect them against the weather. By finishing everything on the inside smoothly, optimum safety is guaranteed.

### **Durability:**

By using high-quality industrial parts, we can guarantee a very long lifespan. All constructions are therefore standard hot-dip galvanized.

### **External characteristics:**

In the designs of the covers, the aim has been to achieve a compact and minimalist appearance. The Passage covers the track/path of the horses so that they are protected against the weather.

### **Maintenance:**


Q-line® Passages have a very solid construction and require very little maintenance. Due to the technologically advanced design and the materials used, there is virtually no wear or corrosion, which minimizes maintenance.

### **Quality mark:**

All roofs comply with the local building regulations and are standard equipped with the CE quality mark. The Q-line® roofs are also calculated by a recognized agency, so that you are assured of an approved construction.




**Q-LINE**



**SOLARIUM**



**IRRIGATION**



**TREADMILL**



**SAFETY WALL**



**WALKER**


## Standard options



Fencing for a 16-meter roof



Rain gutter 11 sections



Concrete Foot

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

<b>Suited for</b>	16 meter exerciser
<b>Diameter</b>	17,47 meter
<b>Height</b>	4 mtr
<b>Secure</b>	Snow load 750N
<b>Width</b>	Crossing 3.25 meters
<b>Fixings</b>	Included
<b>Thickness</b>	IPE 160
<b>Basic material</b>	Galvanized steel
<b>Weight</b>	2850 kg
<b>Other</b>	11 sections
<b>Included</b>	Strength calculation
<b>Quality mark</b>	According to local regulation NEN-EN 1990:2002
<b>Colour</b>	Zinc / black
<b>Not included</b>	Foundation
<b>Suplied as standard</b>	Rafters, purlins, roof plates, ridge pieces
<b>Transport weight</b>	2950 kg
<b>Transport size</b>	n.t.b.

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)