


SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL




WALKER


# Track cover Passage

For 18 meter exerciser

Passage 18 meter 1500N / Article no. 17-5-05-00018




**SOLARIUM**

**IRRIGATION**

**TREADMILL**

**SAFETY WALL**

**WALKER**

### **Q-line Track cover roof: Optimal Protection for Your Horses**

Our canopies are designed to protect your horses year-round from various weather conditions such as sun, rain, and snow, while optimizing their daily training in the [horse walker](#).

#### **Why Choose Q-line Canopies?**

##### **High-Quality Construction:**

Our canopies are made of top-quality galvanized beam steel and meticulously designed according to current building standards. This thorough approach ensures a sturdy and secure structure, essential for protecting your horses.

##### **Durable Roofing:**

We use steel profile sheets with a 32mm corrugated profile for roofing. These custom-made sheets, made of robust steel and coated with a durable coating, offer a long lifespan and are available in various colors. With a 30-year warranty on Arcelor's coating, you can rely on the quality and durability of our roofing. Innovative

##### **Anti-Condensation Felt:**

Our roof sheets are equipped with advanced anti-condensation felt as standard. This felt effectively absorbs moisture and prevents condensation, contributing to a healthier climate for your horses.

##### **Strong Steel Profile Purlins:**

The canopies are equipped with strong steel profile purlins, protected with a standard zinc coating. These purlins are not only robust but also resistant to the test of time, making them a sustainable choice for your canopy.

##### **Calculations for Snow Load and Wind Zone:**

Our canopies are designed to withstand a snow load of up to 2500N and are calculated for wind zone 3, underscoring our commitment to sustainability and safety.

##### **Choose Sustainability, Choose Q-line**

At Q-line, we focus not only on protecting your horses but also on ensuring the long-term functionality of your stable. Our high-quality construction and thoughtful details make Q-line canopies the ideal choice for any stable owner. Contact us today to discover how we can transform your stable.

✓ Galvanized steel construction

✓ Calculated according to the norm NEN-EN 1990:2002

✓ Fully covered track


✓ Sufficient crossing

✓ Reinforced footplates





**Q-LINE**



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Features

### **Safety:**

The Q-line® covers are designed to train your horses as safely as possible and to protect them against the weather. By finishing everything on the inside smoothly, optimum safety is guaranteed.

### **Durability:**

By using high-quality industrial parts, we can guarantee a very long lifespan. All constructions are therefore standard hot-dip galvanized.

### **External characteristics:**


In the designs of the covers, the aim has been to achieve a compact and minimalist appearance. The Passage covers the track/path of the horses so that they are protected against the weather.

### **Maintenance:**

Q-line® Passages have a very solid construction and require very little maintenance. Due to the technologically advanced design and the materials used, there is virtually no wear or corrosion, which minimizes maintenance.

### **Quality mark:**

All roofs comply with the local building regulations and are standard equipped with the CE quality mark. The Q-line® roofs are also calculated by a recognized agency, so that you are assured of an approved construction.



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER


## Configuration & options




Fencing for a 18-meter roof



Rain gutter 14 sections



Concrete Foot


**SOLARIUM**

**IRRIGATION**

**TREADMILL**

**SAFETY WALL**

**WALKER**

## Specifications

<b>Suited for</b>	18 meter exerciser
<b>Diameter</b>	19,47 meter
<b>Height</b>	4 mtr
<b>Secure</b>	Snow load 1500N
<b>Width</b>	Crossing 3.25 meters
<b>Fixings</b>	Included
<b>Thickness</b>	IPE 180
<b>Basic material</b>	Galvanized steel
<b>Weight</b>	3800 kg
<b>Other</b>	14 sections
<b>Included</b>	Strength calculation
<b>Quality mark</b>	According to local regulation NEN-EN 1990:2002
<b>Colour</b>	Zinc / black
<b>Not included</b>	Foundation
<b>Supplied as standard</b>	Rafters, purlins, roof plates, ridge pieces
<b>Transport weight</b>	3900 kg
<b>Transport size</b>	n.t.b.

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)