



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL




WALKER

## **Treadmill options**

### Treadmill for horses

Manual incline / Article no. 27-3-00-00025




**SOLARIUM**

**IRRIGATION**

**TREADMILL**

**SAFETY WALL**

**WALKER**

The height adjustment can optionally be built on the treadmill. The hydraulic cylinders are concealed under the side covers and ensure that the treadmill can rise about 6%. By means of 2 push buttons the belt can be angled while the horse is walking on the belt.

The treadmill will always return to the horizontal position in the event of a power failure or the emergency stop so that the horse cannot drive the belt.

Image not found **IR trip fence**

Image not found **User friendly**

Image not found **Easy to install**

Image not found **Smooth side walls**

Image not found **Various safety features**

Image not found **Low maintenance**

Image not found **230V/2,2Kw**



## Features

### Safety:

The Q-line® treadmills can only move in height when the motor is on. This prevents the horse from walking uncontrolled and thus falling. If a malfunction occurs in the treadmill, the height adjustment is automatically reset and returns to the horizontal position.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER****Durability:**

By using high-quality industrial parts, we can guarantee a very long lifespan. Thanks to a technologically advanced design, the belt glides almost silently and very lightly, making the Q-line® treadmills particularly energy-efficient.

**Appearance:**

The treadmill trainer is a well thought-out technological solution and is characterized by the flexible bottom and solid construction. In which a running quality is obtained that is comparable to a natural soil.

**Lifespan:**


Q-line® treadmills are made of high-quality material. The drum motors in the treadmills are water and dust proof and are therefore considerably less sensitive to malfunctions. Thanks to a completely galvanized construction, the Q-line® treadmills can also be used outdoors.

**Maintenance:**

The treadmills require very little maintenance. Due to the technologically advanced design and the materials used, there is virtually no wear or corrosion, which minimizes maintenance.

**Quality mark:**

All treadmills comply with the machine directive 2006 / 42EG and are provided with the CE mark as standard. The Q-line® mills are also certified ex works according to the NEN 3140 and ARBO directive and therefore meet all European safety requirements.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

<b>Other</b>	6% manual
<b>Speed</b>	10 km / h manually with potentiometer
<b>IP rating</b>	55
<b>Suited for</b>	Rollenloopband 27-3-00-00025

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)