

SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Treadmill options

Programmeerbare Hydraulische hoogte verstelling

Programmable incline / Article no. 27-3-00-00010




SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

The programmable height adjustment can optionally be built on the treadmill. The hydraulic cylinders are concealed under the side covers and ensure that the treadmill can rise about 6%. By means of different programs to be programmed, the belt can be angled while the horse is walking on the belt.

The speed of the belt can also be programmed.

A total of 6 programs with 10 steps each, which can be varied in time, speed and altitude.

The treadmill will always return to the horizontal position in the event of a power failure or the emergency stop so that the horse cannot drive the belt.

Image not found **IR trip fence**

Image not found **User friendly**

Image not found **Easy to install**

Image not found **Smooth side walls**

Image not found **Various safety features**

Image not found **Low maintenance**

Image not found **230V / 2,2Kw**



Features

Safety:

The Q-line® treadmills can only move in height when the motor is on. This prevents the horse from walking uncontrolled and thus falling. If a malfunction occurs in the treadmill, the height adjustment is automatically reset and returns to the horizontal position.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER****Durability:**

By using high-quality industrial parts, we can guarantee a very long lifespan. Thanks to a technologically advanced design, the belt glides almost silently and very lightly, making the Q-line® treadmills particularly energy-efficient.

Appearance:

The treadmill trainer is a well thought-out technological solution and is characterized by the flexible bottom and solid construction. In which a running quality is obtained that is comparable to a natural soil.

Lifespan:

Q-line® treadmills are made of high-quality material. The drum motors in the treadmills are water and dust proof and are therefore considerably less sensitive to malfunctions. Thanks to a completely galvanized construction, the Q-line® treadmills can also be used outdoors.

Maintenance:

The treadmills require very little maintenance. Due to the technologically advanced design and the materials used, there is virtually no wear or corrosion, which minimizes maintenance.

Quality mark:

All treadmills comply with the machine directive 2006 / 42EG and are provided with the CE mark as standard. The Q-line® mills are also certified ex works according to the NEN 3140 and ARBO directive and therefore meet all European safety requirements.



SOLARIUM




IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Specifications

Other	6% programmable
Speed	10 km / h programmable
IP rating	55

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com