



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Rain gutter

Gutter for a 15/16 meter cover

Rain gutter 11 sections / Article no. 17-4-50-00011




SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Plastic gutters around the roof. Consisting of mast gutter 170mm. Max 3 sections connected together. The drain runs to ground level.

Image not found. **No dripping** unknown

Image not found. **Dry entrance** unknown

Image not found. **No mud** unknown



Features

Durability:

Co-extrusion provided with a special protective layer, which guarantees color fastness and UV resistance.

Appearance:

The symmetrical mast gutter is one of the oldest gutter types and has a diameter of 170 mm.

Quality marks:

In accordance with NF EN 607

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Connection	100 mm PVC
Basic material	PVC
Fixings	Included
Suited for	11 sections
Colour	Grey
Length	max 4 meter
Other	6 x drain

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com