

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Rain gutter

### Gutter for a 20 meter cover

Rain gutter 15 sections / Article no. 17-4-50-00015



Plastic gutters around the roof. Consisting of mast gutter 170mm. Max 3 sections connected together. The drain runs to ground level.

- ✓ No drippin
- ✓ Dry entrance
- ✓ No mud





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Features

### **Durability:**

Co-extrusion provided with a special protective layer, which guarantees color fastness and UV resistance.

### **Appearance:**

The symmetrical mast gutter is one of the oldest gutter types and has a diameter of 170 mm.

### **Quality marks:**

In accordance with NF EN 607



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Specifications

Connection	100 mm PVC
Basic material	PVC
Fixings	Included
Suited for	15 sections
Colour	Grey
Length	max 4 meter
Other	7 x drain

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)