



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Windbreak mesh for fence

Suitable for outside fence (12 meters)

Windbreak mesh 12 meters / Article no. 17-1-60-00120




SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Windbreak mesh around the outside of the fence. The windbreak mesh is tensioned by a tension roller at both ends. The windbreak mesh is hemmed over the full length and is secured all around with a clip to prevent sagging.

Image not found. **Safe** type unknown


The windbreak mesh can be supplied in various colors, including Black, Beige, Green, Gray.

Image not found. **Easy to clean** type unknown

Requirements for the exerciser of the safe riding foundation:

The outside fence of the exerciser must be protected by a closed fence, so that there is no danger for horses and/or persons.

Image not found. **Smooth finish** type unknown



Features

Safety:

The Q-line® fencing is designed to keep your horses running as safely as possible while training in the exerciser. By applying the windbreak mesh you prevent direct contact between man and horse.

Durability:

By using a high-quality woven canvas with PVC, we can guarantee a very long life.

Appearance:

The windbreak mesh has a wind reduction of 80% and has a smooth finish.

Maintenance:

The windbreak mesh can be easily cleaned with a high-pressure sprayer.

Hallmarks:

By applying the windbreak mesh, your exerciser meets the requirements of the safe riding foundation regarding shielding.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Basic material	PVC
Fixings	Included
Height	1.6 meter
Supplied as standard	Tension system
Transport size	160 x 40 x 15 cm
Other	-20 gr C <-> +70gr C
Diameter	12.92 meter
Transport weight	16 kg

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com