



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL




WALKER

## Windbreak mesh for fence

Suitable for outside fence (18 meters)

Windbreak mesh 18 meters / Article no. 17-1-60-00180




**SOLARIUM**

**IRRIGATION**

**TREADMILL**

**SAFETY WALL**

**WALKER**

Windbreak mesh around the outside of the fence. The windbreak mesh is tensioned by a tension roller at both ends. The windbreak mesh is hemmed over the full length and is secured all around with a clip to prevent sagging.

Image not found. **Safe** type unknown


The windbreak mesh can be supplied in various colors, including Black, Beige, Green, Gray.

Image not found. **Easy to clean** type unknown

Requirements for the exerciser of the safe riding foundation:

The outside fence of the exerciser must be protected by a closed fence, so that there is no danger for horses and/or persons.

Image not found. **Smooth finish** type unknown



## Features

### Safety:

The Q-line® fencing is designed to keep your horses running as safely as possible while training in the exerciser. By applying the windbreak mesh you prevent direct contact between man and horse.

### Durability:

By using a high-quality woven canvas with PVC, we can guarantee a very long life.

### Appearance:

The windbreak mesh has a wind reduction of 80% and has a smooth finish.

### Maintenance:

The windbreak mesh can be easily cleaned with a high-pressure sprayer.

### Hallmarks:

By applying the windbreak mesh, your exerciser meets the requirements of the safe riding foundation regarding shielding.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

<b>Basic material</b>	PVC
<b>Fixings</b>	Included
<b>Height</b>	1.6 meter
<b>Suplied as standard</b>	Tension system
<b>Transport size</b>	160 x 40 x 15 cm
<b>Other</b>	-20 gr C <-> +70gr C
<b>Diameter</b>	18,82 meter
<b>Transport weight</b>	22 kg

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)