



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL




WALKER

## Concrete foot

### Asymmetrical concrete foot

Concrete Foot / Article no. 17-4-25-00001





**SOLARIUM**



**IRRIGATION**



**TREADMILL**



**SAFETY WALL**



**WALKER**

Concretefoot to mount the steel construction of the roof, because of the asymmetrical shape the base provides stability in the construction.

Image not found **Easy to install**



Image not found **Including anchors**

Image not found **Sturdy foot**



## Features

Reinforced concrete including 4 M16 anchors

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

<b>Basic material</b>	Concrete
<b>Length</b>	1000 mm
<b>Width</b>	800 mm
<b>Height</b>	900 mm
<b>Thickness</b>	300 x 300 mm
<b>Transport weight</b>	765 Kg
<b>Transport size</b>	0,8 x 1 x 0,9 m.

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)