



Q-LINE



SOLARIUM




IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Bracket set for VME incl. safety closing bar system

Bracket set for VME / Article no. 33-4-00-00020




SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER


Vitafloor offers a bracket system with the innovative safety locking bar system for the VME. These brackets are made from high-quality aluminum and feature smooth, extremely durable couplings. The Vitafloor safety locking bar system is integrated on both sides of the brackets. Developed by a team of expert engineers and horse enthusiasts, this system prevents horses from getting stuck on the bar during emergencies. Thanks to the clever catch and release mechanism, the bar can quickly disengage, ensuring the horse doesn't remain trapped. Not only is this system incredibly sturdy, but it's also extremely safe. The unique safety locking bar system is exclusively available from Vitafloor.

This bracket system can be purchased along with the Vitafloor VME vibration plate or separately. The brackets are not directly attached to the vibration plate; instead, they are mounted underneath it using two robust steel mounting plates. The brackets are supplied in individual parts that are easy to assemble. They come with our proven safety locking bar system at both the front and back, resulting in a stable, secure, and user-friendly system that provides ultimate peace of mind.

Image not found. **Mobile** type unknown


Image not found. **Safe** type unknown

Image not found. **Strong** type unknown



Features

1. **Innovative Safety System:** Vitafloor's bracket system features an innovative safety locking bar system, developed by a team of expert engineers and horse enthusiasts. This system ensures that horses do not get trapped on the bar during emergencies.
2. **High-Quality Materials:** The brackets are made from high-quality aluminum and finished with smooth, extremely durable couplings, ensuring the product's durability and strength.
3. **Flexibility in Use:** The bracket system can be purchased either along with the Vitafloor VME vibration plate or separately. It is mounted under the vibration plate using sturdy steel mounting plates, making the system flexible and adaptable.
4. **Easy Assembly:** The brackets are supplied in individual parts that are easy to assemble. This makes the assembly effortless and quick, benefiting users.
5. **Exclusive to Vitafloor:** The unique safety locking bar system is exclusively available from Vitafloor, making the product distinctive and ensuring high-quality and safety standards.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Length	2080 mm
Width	1132 mm
Height	1430 mm
Weight	150 Kg
Basic material	Aluminium
nr of horses	1
Quality mark	CE
Fixings	Included
Transport weight	160 Kg
Transport size	1910 x 460 x 410 mm

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com