



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Variable-frequency drive Programming

Programming the VFD / Article no. 23-1-70-00030-000




SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

The frequency controller is programmed according to the correct specs of the motor or machine

Image not found **Easy to operate**

Image not found **Compact size**

Image not found **Including EMC filter**



Features

Safety:

The Q-Line variable-frequency drive also has a built-in motor protection that can be accurately adjusted to the current of the electric motor.

Sustainability:

By using high-quality industrial parts, we can guarantee a very long service life.

Appearance:

The variable-frequency drive is compact and fits in almost any control cabinet.

Maintenance:

The variable-frequency drive does not require maintenance, it is important that the frequency is not exposed to moisture and too high or too low temperatures.

Quality mark:

Q-Line's variable-frequency drive meets all current requirements.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Connection	Motor 0,75 KW
Power supply	230-240 V 50/60Hz
Switching capacity	12 A
Ampere	Output 4,5 A
Fuse with	16 A
Included	EMC filter
IP rating	20
Length	164 mm
Width	91 mm
Height	152 mm
Weight	1,9 Kg
Transport size	20x20x15 cm
Transport weight	2 Kg

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com