


SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Drop rod

Suitable for other brands

Safety Flex drop rod 200 / Article no. 23-4-80-00150



Plastic drop rod for Q-Line push panels

Discover our innovative lightweight, impact-resistant bars, equipped with standard electrically conductive stainless steel wire! These rods combine durability and safety in one. Thanks to their light weight, they are easy to install and suitable for various applications. Ensure high-quality and maximum safety in the exerciser. Order now and experience the convenience of top-quality lightweight unbreakable bars with electrically conductive technology.

- ✓ Impact-resistant
- ✓ Safe
- ✓ Electrically conductive
- ✓ Lightweight
- ✓ Durable



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER



Features

Durability and Impact Resistance

Our drop rods are made from high-quality material that is both durable and impact-resistant. They can withstand the test of time and are resistant to impact, making them perfect for long-term use and protection.

Electrically Conductive Stainless Steel Wire

The drop rods come standard with electrically conductive stainless steel wire. This ensures additional conduction of the electric shock and enhances deterrence.

Lightweight and Easy to Install

Thanks to their lightweight design, these bars are easy to handle and install. They do not require complicated installation processes, allowing you to create a safe containment barrier quickly and effortlessly.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Basic material	HDPE
Fixings	Included
Connection	For hole 25 mm
Diameter	25 mm
Thickness	30 mm including stainless steel spring
Weight	480 gram
Length	200 cm
Suspension	Through a hole of at least 25 mm

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com