









IRRIGATION

TREADMILL

SAFETY WALL

WALKER

MeRCuRR Solarium basic

MeRCuRR solarium 230 / Article no. 20-5-05-00230









IRRIGATION





TREADMILL

SAFETY WALL V

WALKER

The Mercurr is made of impact-resistant, heat-resistant plastic and is ideal for situations where space is limited. Its compact shape, in combination with a wash and grooming area, makes it the perfect grooming spot for your horse. This model features a round cutout at the horse's neck. The combination of 22 IR lamps and 4 fans provides a pleasant heat blanket over your horse.

Improved Blood Circulation

The infrared rays emitted by the Q-Line horse solarium enhance muscle blood circulation, improving the muscles' waste removal process and reducing the risk of injuries for your horse. The generated infrared heat from the Q-Line horse solarium facilitates quicker absorption of blood sugars by the muscles and faster removal of lactic acid from the muscles.

Warm-up

Using a Q-Line horse solarium for a warm-up before training or competition relaxes the muscles and reduces the risk of injuries. The horse solarium is ideal for drying your horse after a wash. The generated heat from the Q-Line horse solarium promotes muscle elasticity and provides soothing relief for injuries.

Therapeutic

Q-Line horse solariums are also available with the latest innovations in light therapy. Exposing the horse to specific light frequencies creates a therapeutic effect, helping your horse regain balance. Combined with the generated heat, your horse will recover faster after intense physical exertion.

Energy Efficient

A Q-Line horse solarium consumes significantly less energy than other solariums to achieve the same results. The solarium parts made of specially formulated plastic minimize heat loss, and the airflow from the fan is heated by the residual warmth inside the horse solarium. The infrared lamps in the Q-Line solariums are designed to reach higher temperatures compared to other lamps.

















SAFETY WALL

TREADMILL



Features

Discover the exceptional features of Q-line® solariums designed to ensure optimal safety, efficiency, and style for your equine companion.

IRRIGATION

1. Enhanced Safety Design:

Q-line® solariums are crafted with rounded edges and corners, eliminating the risk of injuries to your horse. Unlike many competitors' models made of sharp-edged steel, our solariums prioritize your horse's safety, reducing the potential for accidents and injuries.

2. Strategic Lamp Placement:

Our solariums feature lamps positioned higher than the surfaces, preventing them from falling out of their fittings. This innovative design minimizes the risk of contact with the warm IR lamps, ensuring your horse's safety during sessions.

3. Lightweight and Injury-Resistant:

Q-line® solariums are lightweight, significantly reducing the chances of injuries caused by accidental contact. Their userfriendly design ensures both safety and ease of use.

4. Energy Efficiency and Environmental Friendliness:

Our solariums consume up to 40% less energy than competitors, making them environmentally friendly choices. Crafted from heat-resistant plastic, they are corrosion-resistant, leading to minimal heat loss and high energy efficiency.

5. Durable Infrared Lamps:

Q-line® solariums are equipped with specially designed infrared lamps capable of enduring prolonged intense heat, burning for up to 5000 hours. This ensures longevity and consistent performance.

6. Stylish and Easy Installation:

With a sleek appearance and meticulous finishing, our solariums add a touch of elegance to your stable. All models come plug-and-play ready, allowing effortless installation for your convenience.

7. Intelligent Ventilation System:

Automatic fans activate when the internal temperature reaches 30°C, preventing cold air from blowing directly onto your horse. Located at the bottom, the fan prevents dust from entering the solarium. Cold air is drawn across the lamps before being gently distributed over your horse.

8. Low Maintenance and Water Resistance:

Thanks to advanced technology and durable materials, Q-line® solariums require minimal maintenance. Their waterproof design from the top makes them ideal for use in wash or grooming areas.

9. Certified Safety Standards:

Compliance with machine directive 2006/42EG and the CE mark is standard across all Q-line® solariums. Additionally, our solariums are factory-inspected according to NEN 3140 and ARBO guidelines, meeting stringent European safety standards.

Elevate your horse care routine with Q-line® solariums – where safety, efficiency, and style converge seamlessly. Experience the difference today.







IRRIGATION





TREADMILL

SAFETY WALL

WALKER

Standard options



Control basic 230



Control CB IR AB 230



Control MT IR AB 230



Control ET-IR AB 230



Pay with app 230



Coin device 230 € 1



Angled support zinc



Electric Lift 100











SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Specifications

Width119 cmThickness40 cmDrive system45KgBasic materialReinforced heat resisting plasticColourBlack / Silver GreyNumber of IR lamps22 x 150 WattPower supplyL+N+PE 230 VoltPower usage3420 WattFuse withC16 AIP ratingIP 54	Length	190 cm
Drive system45KgBasic materialReinforced heat resisting plasticColourBlack / Silver GreyNumber of IR lamps22 x 150 WattPower supplyL+N+PE 230 VoltPower usage3420 WattFuse withC16 A	Width	119 cm
Basic materialReinforced heat resisting plasticColourBlack / Silver GreyNumber of IR lamps22 x 150 WattPower supplyL+N+PE 230 VoltPower usage3420 WattFuse withC16 A	Thickness	40 cm
ColourBlack / Silver GreyNumber of IR lamps22 x 150 WattPower supplyL+N+PE 230 VoltPower usage3420 WattFuse withC16 A	Drive system	45Kg
Number of IR lamps22 x 150 WattPower supplyL+N+PE 230 VoltPower usage3420 WattFuse withC16 A	Basic material	Reinforced heat resisting plastic
Power supplyL+N+PE 230 VoltPower usage3420 WattFuse withC16 A	Colour	Black / Silver Grey
Power usage3420 WattFuse withC16 A	Number of IR lamps	22 x 150 Watt
Fuse withC16 A	Power supply	L+N+PE 230 Volt
	Power usage	3420 Watt
IP rating IP 54	Fuse with	C16 A
	IP rating	IP 54
Air blower4x 90m3, automatic at 30grC	Air blower	4x 90m3, automatic at 30grC
Suspension4x chains (1 meter) and swing hooks	Suspension	4x chains (1 meter) and swing hooks
Suplied as standard Power cable 10 mtr including plugs	Suplied as standard	Power cable 10 mtr including plugs
Quality mark CE / NEN 3140 / OSH	Quality mark	CE / NEN 3140 / OSH
Transport weight 65 kg	Transport weight	65 kg
Transport size1 pallet 120x80x220 cm	Transport size	1 pallet 120x80x220 cm

Contact details

Q-Line Equestrian B.V. Haarbrinksweg 47 7678 RS Geesteren Tel. +31(0)546212361 info@Q-Line.com www.q-line.com