



**Q-LINE**



**SOLARIUM**



**IRRIGATION**



**TREADMILL**



**SAFETY WALL**




**WALKER**

## **Sublime pressure treated walker fencing**

Fencing inner- and outer ring

Fencing 15 meter walker / Article no. 12-5-61-00015





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

### **Q-line® Fencing for Sublime Walker: Maximum Safety and Durability**

#### **Design the Ideal Training Space for Your Horses**

Opt for the unparalleled quality of Q-line® fencing when equipping your Sublime Horse Exerciser. These fences, made from top-quality North European pine and spruce, ensure not only safety but also comfort during your horses' training. They are specifically designed for their long lifespan and excellent finish.

#### **Customizable and Flexible Fencing for Your Horse Exerciser**

Complete your training setup with our versatile fences. The standard configuration includes round milled posts, a top rail with rounded corners, and a similar side plank. For additional strength and safety, you can opt for additional planks or multiple layers of our durable band. Each set comes with the necessary mounting materials and a functional wooden gate, complete with hanging and closing hardware.

#### **Reasons to Choose Q-line® Fencing:**

**Safety:** Specifically designed to keep your horses safe during training.

**Customizability:** Fully adaptable to your specific needs.

**High-Quality Materials:** Long lifespan thanks to durable North European pine and spruce.

**Complete Delivery:** Includes all necessary components for assembly and a wooden gate.

- ✓ Flexible construction
- ✓ Smooth finish
- ✓ Horse friendly


#### **High-Quality Milled Pine Posts - Green Impregnated and Durable**

Perfect Diameter Ø12cm for Effective Drainage and Easy Installation  
Discover our superior milled pine posts, ideal for fencing your training mill. These posts, with a consistent diameter of 12cm, ensure a streamlined and perfectly round shape. The crowned end allows for effective drainage, while the pointed end simplifies installation. The **KOMO-certified** green impregnation significantly extends the lifespan.

#### **Strong Spruce Planks and Rails with Rounded Corners for Horse Exerciser**

**Fencing Spruce Planks:** Ideal for outdoor constructions, with a width of 145mm and a thickness of 28mm. The green impregnation offers both durability and aesthetics.

**Spruce Rails:** Perfect for fencing, with a width of 95mm and a thickness of 45mm. These rails provide robustness and are resistant to severe weather conditions.





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Features

### **Safety:**

The Q-line® fences are designed to let your horses walk as safely as possible while training in the walker. All wooden parts are rounded and mounted in such a way that this results in the least risk of injury in the event of an emergency.

### **Durability:**

By using wood preservation we can guarantee a very long life. The wood is impregnated under pressure, which ensures that it does not need any further finishing.

### **Appearance:**

The wood can be preserved in various ways. This can be done in three ways, only preservation, preservation with a water-repellent treatment or preservation with a brown color. The posts are made sustainable in order to have a longer lifespan and better properties against attack by, for example, fungi.

### **Maintenance:**


All fences are maintenance-free due to the sustainability of the materials.

### **Quality mark:**

All wood has the required quality marks. The wood quality can be demonstrated with a KOMO product certificate.




**Q-LINE**



**SOLARIUM**



**IRRIGATION**



**TREADMILL**



**SAFETY WALL**



**WALKER**

## Standard options



Plank 15 meter walker



Band 15 meter walker

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

|                            |  |
|----------------------------|--|
| <b>Basic material</b>      | Pressure treated pine  |
| <b>Amount of layers</b>    | 1 top rail, 1 kick board   |
| <b>Included</b>            | Round post 12cm L=2,50 meter   |
| <b>Diameter</b>            | 15,82 meter  |
| <b>Suited for</b>          | Horse exerciser 15 meter   |
| <b>Width</b>               | Walkway 2,5 meter  |
| <b>Height</b>              | 1,6 meter  |
| <b>Fixings</b>             | Included   |
| <b>Colour</b>              | Pressure treated ( green)  |
| <b>Suplied as standard</b> | Wood gate 2x1,5 meter + 2 square corner posts 15x15 cm 2,5meter long |
| <b>Quality mark</b>        | KOMO   |
| <b>Not included</b>        | Concrete for gate posts  |
| <b>Transport weight</b>    | 1378 g   |
| <b>Transport size</b>      | 250 x80 x150 cm  |

## Contact details

### **Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)