

SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Sublime pressure treated walker fencing

### 1 layer for inner-and outer ring

Plank 16 meter walker / Article no. 12-4-31-00016




1 Layer of extra pressure treated planks for the inner and outer ring, including fixing material.

The layer of planks is to create an extra layer in the sublime base fence.

✓ Flexible construction

✓ Smooth finish

✓ Horse friendly





**Q-LINE**



**SOLARIUM**



**IRRIGATION**



**TREADMILL**




**SAFETY WALL**



**WALKER**

## Features

The layer of planks can be used as an extra kick board to keep the walkway together or as an extra row of planks spread over the height of the fence.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

|                         |                               |
|-------------------------|-------------------------------|
| <b>Basic material</b>   | Pressure treated pine         |
| <b>Amount of layers</b> | 1 layer inner- and outer ring |
| <b>Diameter</b>         | 16,82 meter                   |
| <b>Suited for</b>       | Horse walker 16 meter         |
| <b>Width</b>            | 14cm                          |
| <b>Thickness</b>        | 32 mm                         |
| <b>Fixings</b>          | Included                      |
| <b>Colour</b>           | Pressure treated ( green)     |
| <b>Quality mark</b>     | KOMO                          |
| <b>Transport weight</b> | 440 kg                        |
| <b>Transport size</b>   | 210 x 80 x 20 cm              |

## Contact details

### **Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)