







TREADMILL





Safety Wall door and gate

Frame, Hinge, Shutter

Gate 2 panels / Article no. 30-4-30-01875



The Q-line Safety Wall can be fitted with gates that are essentially invisible to the eye when closed. These innovative gates create a perfectly smooth and seamless finish for your Safety Wall without sharp edges. The gates can contain a maximum of 3 panels and are equipped with a specially developed hinge so that the gate in the sloping wall opens horizontally.

- Light to open
- Seamless finish
- Easy assembly
















TREADMILL





Features

Safety:

By opening the gate horizontally, entrapment by a falling gate is excluded.

Durability

Due to the robustness of the hinges and the frames, the gates are indestructible.

Appearance:

Invisible hinge concealed in the wall.

Maintenance:

The gate hinge does not require lubrication and is maintenance-free.


Easy to assemble:

Because the gate opens horizontally, mounting is very simple and the hinge can easily be mounted against a flat wall.









TREADMILL





Standard options




Gate frame cover













IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Specifications

Suited for

Basic material

Width Height Thickness Weight Included

Colour Suspension

Fixings
Suplied as standard
Transport weight
Transport size

2 panels

Galvanized steel

189,6 cm 142 cm 3 cm 63 kg

Horizontal hinge

Zinc

Supplied mounting plate

Including Shutter 78 kg

190 x 80 x 141 cm

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com