



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Track cover Passage

For 12 meter exerciser

Passage 12 meters 750N / Article no. 17-5-10-00012




SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Q-line Track cover roof: Optimal Protection for Your Horses

Our canopies are designed to protect your horses year-round from various weather conditions such as sun, rain, and snow, while optimizing their daily training in the [horse walker](#).

Why Choose Q-line Canopies?

High-Quality Construction:

Our canopies are made of top-quality galvanized beam steel and meticulously designed according to current building standards. This thorough approach ensures a sturdy and secure structure, essential for protecting your horses.

Durable Roofing:

We use steel profile sheets with a 32mm corrugated profile for roofing. These custom-made sheets, made of robust steel and coated with a durable coating, offer a long lifespan and are available in various colors. With a 30-year warranty on Arcelor's coating, you can rely on the quality and durability of our roofing. Innovative

Anti-Condensation Felt:

Our roof sheets are equipped with advanced anti-condensation felt as standard. This felt effectively absorbs moisture and prevents condensation, contributing to a healthier climate for your horses.

Strong Steel Profile Purlins:

The canopies are equipped with strong steel profile purlins, protected with a standard zinc coating. These purlins are not only robust but also resistant to the test of time, making them a sustainable choice for your canopy.

Calculations for Snow Load and Wind Zone:

Our canopies are designed to withstand a snow load of up to 2500N and are calculated for wind zone 3, underscoring our commitment to sustainability and safety.

Choose Sustainability, Choose Q-line

At Q-line, we focus not only on protecting your horses but also on ensuring the long-term functionality of your stable. Our high-quality construction and thoughtful details make Q-line canopies the ideal choice for any stable owner. Contact us today to discover how we can transform your stable.

- ✓ Galvanized steel construction
- ✓ Calculated according to the norm NEN-EN 1990:2002
- ✓ Fully covered track
- ✓ Sufficient crossing
- ✓ Reinforced footplates





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Features

Safety:

The Q-line® covers are designed to train your horses as safely as possible and to protect them against the weather. By finishing everything on the inside smoothly, optimum safety is guaranteed.

Durability:

By using high-quality industrial parts, we can guarantee a very long lifespan. All constructions are therefore standard hot-dip galvanized.

External characteristics:

In the designs of the covers, the aim has been to achieve a compact and minimalist appearance. The Passage covers the track/path of the horses so that they are protected against the weather.

Maintenance:


Q-line® Passages have a very solid construction and require very little maintenance. Due to the technologically advanced design and the materials used, there is virtually no wear or corrosion, which minimizes maintenance.

Quality mark:

All roofs comply with the local building regulations and are standard equipped with the CE quality mark. The Q-line® roofs are also calculated by a recognized agency, so that you are assured of an approved construction.




Q-LINE



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER


Standard options



Fencing for a 12-meter roof



Rain gutter 9 sections



Concrete Foot

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

Specifications

Suited for	12 meter exerciser
Diameter	13,46 meter
Height	4 mtr
Secure	Snow load 750N
Width	Crossing 3.25 meters
Fixings	Included
Thickness	IPE 160
Basic material	Galvanized steel
Weight	2250 kg
Other	9 sections
Included	Strength calculation
Quality mark	According to local regulation NEN-EN 1990:2002
Colour	Zinc / black
Not included	Foundation
Suplied as standard	Rafters, purlins, roof plates, ridge pieces
Transport weight	2350 kg
Transport size	n.t.b.

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com