



Track cover Passage

For 12 meter exerciser

Passage 12 meters 750N / Article no. 17-5-10-00012



The Passage covers the track/path of the horses so they are protected against the weather. The horses still have enough light and air.

The track covers are produced in accordance with the applicable guidelines and must be placed on a sound foundation "in accordance with local standards". The trusses are hot-dip galvanized as standard. The purlins are made of galvanized steel. The roof is covered with a steel roof plate that is provided with an anti-condensation felt. Due to the open construction, any desired fence can be used. Optionally, you can close the outside with a windbreak mesh.

- ✓ Galvanized steel construction
- ✓ Calculated according to the norm NEN-EN 1990:2002
- ✓ Fully covered track
- ✓ Sufficient crossing
- ✓ Reinforced footplates



Characteristics

Safety:

The Q-line® covers are designed to train your horses as safely as possible and to protect them against the weather. By finishing everything on the inside smoothly, optimum safety is guaranteed.

Durability:

By using high-quality industrial parts, we can guarantee a very long lifespan. All constructions are therefore standard hot-dip galvanized.

External characteristics:

In the designs of the covers, the aim has been to achieve a compact and minimalist appearance. The Passage covers the track/path of the horses so that they are protected against the weather.

Maintenance:

Q-line® Passages have a very solid construction and require very little maintenance. Due to the technologically advanced design and the materials used, there is virtually no wear or corrosion, which minimizes maintenance.

Quality mark:


All roofs comply with the local building regulations and are standard equipped with the CE quality mark. The Q-line® roofs are also calculated by a recognized agency, so that you are assured of an approved construction.



Accessory



Rain gutter 9 sections



Concrete Foot



Specifications

Suited for	12 meter exerciser
Diameter	13,46 meter
Height	4 mtr
Secure	Snow load 750N
Width	Crossing 3.25 meters
Fixings	Included
Thickness	IPE 160
Basic material	Galvanized steel
Weight	2250 kg
Other	9 sections
Included	Strength calculation
Quality mark	According to local regulation NEN-EN 1990:2002
Colour	Zinc / black
Not included	Foundation
Suplied as standard	Rafters, purlins, roof plates, ridge pieces
Transport weight	2350 kg
Transport size	n.t.b.

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546633700

info@Q-Line.com

www.q-line.com