



Q-LINE



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Track cover Passage

For 18 meter exerciser

Passage 18 meter 1500N / Article no. 17-5-05-00018




SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Q-line Track cover roof: Optimal Protection for Your Horses

Our canopies are designed to protect your horses year-round from various weather conditions such as sun, rain, and snow, while optimizing their daily training in the [horse walker](#).

Why Choose Q-line Canopies?

High-Quality Construction:

Our canopies are made of top-quality galvanized beam steel and meticulously designed according to current building standards. This thorough approach ensures a sturdy and secure structure, essential for protecting your horses.

Durable Roofing:

We use steel profile sheets with a 32mm corrugated profile for roofing. These custom-made sheets, made of robust steel and coated with a durable coating, offer a long lifespan and are available in various colors. With a 30-year warranty on Arcelor's coating, you can rely on the quality and durability of our roofing. Innovative

Anti-Condensation Felt:

Our roof sheets are equipped with advanced anti-condensation felt as standard. This felt effectively absorbs moisture and prevents condensation, contributing to a healthier climate for your horses.

Strong Steel Profile Purlins:

The canopies are equipped with strong steel profile purlins, protected with a standard zinc coating. These purlins are not only robust but also resistant to the test of time, making them a sustainable choice for your canopy.

Calculations for Snow Load and Wind Zone:

Our canopies are designed to withstand a snow load of up to 2500N and are calculated for wind zone 3, underscoring our commitment to sustainability and safety.

Choose Sustainability, Choose Q-line

At Q-line, we focus not only on protecting your horses but also on ensuring the long-term functionality of your stable. Our high-quality construction and thoughtful details make Q-line canopies the ideal choice for any stable owner. Contact us today to discover how we can transform your stable.

- ✓ Galvanized steel construction
- ✓ Calculated according to the norm NEN-EN 1990:2002
- ✓ Fully covered track
- ✓ Sufficient crossing
- ✓ Reinforced footplates





SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

Features

Safety:

The Q-line® covers are designed to train your horses as safely as possible and to protect them against the weather. By finishing everything on the inside smoothly, optimum safety is guaranteed.

Durability:

By using high-quality industrial parts, we can guarantee a very long lifespan. All constructions are therefore standard hot-dip galvanized.

External characteristics:

In the designs of the covers, the aim has been to achieve a compact and minimalist appearance. The Passage covers the track/path of the horses so that they are protected against the weather.

Maintenance:


Q-line® Passages have a very solid construction and require very little maintenance. Due to the technologically advanced design and the materials used, there is virtually no wear or corrosion, which minimizes maintenance.

Quality mark:

All roofs comply with the local building regulations and are standard equipped with the CE quality mark. The Q-line® roofs are also calculated by a recognized agency, so that you are assured of an approved construction.




Q-LINE



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER


Standard options



Fencing for a 18-meter roof



Rain gutter 14 sections



Concrete Foot


SOLARIUM

IRRIGATION

TREADMILL

SAFETY WALL

WALKER

Specifications

Suited for	18 meter exerciser
Diameter	19,47 meter
Height	4 mtr
Secure	Snow load 1500N
Width	Crossing 3.25 meters
Fixings	Included
Thickness	IPE 180
Basic material	Galvanized steel
Weight	3800 kg
Other	14 sections
Included	Strength calculation
Quality mark	According to local regulation NEN-EN 1990:2002
Colour	Zinc / black
Not included	Foundation
Suplied as standard	Rafters, purlins, roof plates, ridge pieces
Transport weight	3900 kg
Transport size	n.t.b.

Contact details

Q-Line Equestrian B.V.

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

info@Q-Line.com

www.q-line.com