


SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER

## Drop rod

### Suitable for Q-Line push panels


Safety Flex drop rod 166 / Article no. 23-4-80-00140



#### Plastic drop rod for Q-Line push panels

Discover our innovative lightweight, impact-resistant bars, equipped with standard electrically conductive stainless steel wire! These rods combine durability and safety in one. Thanks to their light weight, they are easy to install and suitable for various applications. Ensure high-quality and maximum safety in the exerciser. Order now and experience the convenience of top-quality lightweight unbreakable bars with electrically conductive technology.


- ✓ Impact-resistant
- ✓ Safe
- ✓ Electrically conductive
- ✓ Lightweight
- ✓ Durable



SOLARIUM



IRRIGATION



TREADMILL



SAFETY WALL



WALKER



## Features

### Durability and Impact Resistance


Our drop rods are made from high-quality material that is both durable and impact-resistant. They can withstand the test of time and are resistant to impact, making them perfect for long-term use and protection.

### Electrically Conductive Stainless Steel Wire

The drop rods come standard with electrically conductive stainless steel wire. This ensures additional conduction of the electric shock and enhances deterrence.

### Lightweight and Easy to Install

Thanks to their lightweight design, these bars are easy to handle and install. They do not require complicated installation processes, allowing you to create a safe containment barrier quickly and effortlessly.

**SOLARIUM****IRRIGATION****TREADMILL****SAFETY WALL****WALKER**

## Specifications

<b>Basic material</b>	HDPE
<b>Fixings</b>	Included
<b>Diameter</b>	25 mm
<b>Thickness</b>	30 mm including stainless steel spring
<b>Length</b>	166 cm
<b>Weight</b>	400 gram
<b>Suspension</b>	Through tube with a hole of 30mm

## Contact details

**Q-Line Equestrian B.V.**

Haarbrinksweg 47

7678 RS Geesteren

Tel. +31(0)546212361

[info@Q-Line.com](mailto:info@Q-Line.com)

[www.q-line.com](http://www.q-line.com)